CONTENTS

Editorial vii

Dynamic character of the hydrothermal vent habitat and the nature of sulphide chimney fauna 1
– *V. Tunnicliffe and S.K. Juniper*

Fine-scale distribution of methanotrophic mussels at a Louisiana cold seep 15
– *I.R. MacDonald, W.R. Callender, R.A. Burke Jr., S.J. McDonald and R.S. Carney*

Composition and spatial organization of a cold seep community on the South Barbados accretionary prism: tectonic, geochemical and sedimentary context 25
– *D. Jollivet, J.-C. Faugeres, R. Griboulard, D. Desbruyères and G. Blanc*

Benthos of the Gorda Ridge axial valley (NE Pacific Ocean): taxonomic composition and trends in distribution 47
– *A.G. Carey, Jr, D.L. Stein and P.L. Rona*

Gills of hydrothermal vent annelids: structure, ultrastructure and functional implications in two alvinellid species 59
– *C. Jouin and F. Gaill*

Nutritional strategies of the hydrothermal ecosystem bivalves 71
– *M. Le Pennec, A. Donval and A. Herry*

Resistance to heavy metals of heterotrophic bacteria isolated from the deep-sea hydrothermal vent polychaete, *Alvinella pompejana* 81
– *C. Jeanthon and D. Prieur*

Unusual amino compounds in the tissues of *Calyptogena phaseoliformis* (Japan Trench): Possible link to symbiosis 89
– *P. Alberic and J. Boulegue*

Near-bottom particle concentration and flux: temporal variations observed with sediment traps and nepholometer on the Meriadzek Terrace, Bay of Biscay 103
– *A. Vangriesheim and A. Khripounoff*

Pelagic origin and fate of sedimenting particles in the Norwegian Sea 117
– *U.V. Bathmann, R. Peinert, T.T. Noji and B.V. Bodungen*

Benthic/midwater interactions on the Madeira Abyssal Plain; evidence for biological transport pathways 127
– *H. S. J. Roe, D.S.M. Billett and R.S. Lampitt*

Organic carbon turnover time in deep-sea benthos 141
– *G.T. Rowe, M. Sibuet, J. Deming, J. Tietjen and A. Khripounoff*

In situ experimentation at the water/sediment interface in the deep sea:
1. Submersible experimental instrumentation developed for sampling and incubation 161
– *M. Sibuet, L. Floury, A.-M. Alayse-Danet, A. Echardour, T. LeMoign and R. Perron*

In situ experimentation at the water/sediment interface in the deep sea:
2. Biotransformation of dissolved organic substrates by microbial communities at 2000m depth in the Bay of Biscay 169
– *G. Cahet, R. Daumas and M. Sibuet*

Dense aggregations of a hexactinellid sponge, *Pheronema carpenteri*, in the Porcupine Seabight (northeast Atlantic Ocean), and possible causes 179
– *A.L. Rice, M.H. Thurston and A.L. New*

A depth-related distribution of the red crab, *Geryon trispinosus* (Herbst) [= *G. tridens* Krøyer]: indications of vertical migration 197
– *M.J. Attrill, R.G. Hartnoll, A.L. Rice and M.H. Thurston*

Reproduction in two deep-sea anemones (Actiniaria); *Phelliactis hertwigi* and *P. robusta* 207
– *M. van Praët, A.L. Rice and M.H. Thurston*

Trophic strategies in carnivorous fishes: their significance in energy transfer in the deep-sea benthic ecosystem (Meriadzek Terrace – Bay of Biscay) 223
– *M.-L. Mahaut, P. Geistdoerfer and M. Sibuet*

Little evidence for faunal zonation or communities in deep sea demersal fish faunas 239
– *R.L. Haedrich and N.R. Merrett*

On size of the deep-sea macrobenthic invertebrates 251
– *N.N. Sokolova*

What do the simple morphological features of deep-sea animals mean? 253
– *O.N. Zezina*

Abyssal necrophagous amphipods (Crustacea: Amphipoda) in the northeast and tropical Atlantic Ocean 257
– *M.H. Thurston*

Mediterranean deep-sea amphipods: composition, structure and affinities of the fauna 275
– *D. Bellan-Santini*

Relationships between deep-sea tunicate populations west and east of the Straits of Gibraltar 289
– *C. Monniot and F. Monniot*

Distribution and diversity patterns of asellote isopods (Crustacea) in the deep Norwegian and Greenland Seas 297
– *J. Svavarsson, T. Brattegard and J.-O. Strömberg*

Biogeography of deep-sea stomatopod Crustacea, family Bathysquillidae 311
– *R.B. Manning, R.K. Kropp and J. Dominguez*

Evaluation of abyssal meiobenthos in the eastern central Pacific (Clarion-Clipperton fracture zone) 317
– *J. Renaud-Mornant and N. Gourbault*

Benthic associations in bathyal and hadal depths off the Pacific coast of north eastern Japan: physiognomies and site factors 331
– *M. Horikoshi, T. Fujita and S. Ohta*

Subject index 341